



GRUPO MAMSA

ALQUILER Y VENTA DE MAQUINARIA

- Desde 1979 -

FICHA TÉCNICA

Maquinaria profesional
Sostenible · Respetuosa · Eficaz

900 460 060

www.grupomamsa.com



CINGO M700TD



PERFORMANCE AND FEATURES

CINGO M700TD Tracked Carrier

PERFORMANCE

Capacity:

700 kg

Engine:

Honda Petrol GX390 - 8.7 kW / 12 HP

Starting:

Electrical

Engine cooling:

Air

Maximum speed:

2.5 – 4 km/h

Track:

Fixed

Maximum longitudinal gradient:

35%

Maximum cross slope:

20%

TRANSMISSION AND HYDRAULIC SYSTEM

Transmission:

Hydraulic-type, with gear pumps in tandem with planetary gearmotors

Transmission pumps:

2 x 14 litres/min

Drive levers:

Hydraulic systems

Service pump:

6 cc

Auxiliary circuit oil flow rate:

20 l/min

Auxiliary service lines:

2 auxiliary service lines (in and out)
Option available on request:
Auxiliary service line kit (CV315)

Auxiliary circuit max. pressure:

180 bar

Multifunction (Merlo patent):

No

Multifunction tracked carrier

Yes

WEIGHT AND DIMENSIONS

Machine weight:

480 kg

Width:

750 mm

Length:


1640 mm (with folded operator platform)

Maximum height:


1,245 mm

- not available. ● standard. ○ optional.


Procedure for replacing attachments:




Dimensions with standard dumper body:




Dimensions with standard dumper body and self-loading bucket:




Dimensions with self-loading concrete mixer



Dimensions with farm dumper body:



Dimensions with pantograph




Data, characteristics and illustrations contained in this document are indicative and not binding. Merlo Spa pursues a policy of continuous research and development, therefore, our products may have different characteristics from those described or may undergo changes without any prior notice. The products shown may include optional equipment

MERLO S.P.A.

Via Nazionale, 9
12010 S. Defendente di Cervasca
(Cuneo) Italy
Tel. +39 0171614111
Fax +39 0171684101

info@merlo.com
www.merlo.com

Your Merlo dealer



cingom70Q1021_ENG